

QY-F5190-Rack



Products Features:

1. Industrial-Grade Embedded Fanless Touch Monitor
2. 19 inch LED Screen, 1280*1024 Resolution
3. Capacitive and Resistive Touch Screen
4. HDMI+VGA or DVI+VGA Two Type Display Ports Combinations
5. USB or RS-232 touch port
6. -20°C~60°C Temperature Can Keep 24/7 Work Stably
7. DC 12V Power Input
8. Support Rack Mount

FC

IEC

RoHS

CE

EAC

1.Specification:

Model	QY-F5190-Rack	
Display Port	HDMI+VGA	
	DVI+VGA	
Touch Port	USB (Type-B, Default)	
	RS-232 (DB9 type)	
Screen Size	19 inch TFT LED Screen, 4:3 Size	
Resolution	1280*1024	
Brightness	350nits	
	Support optional 500 / 700 / 1000 nits	
Largest Colorful	16M	
Touch Screen Type	Capacitive	Resistive
Light Transmittance	More than 95%	More than 95%
Touch Life	50 million times	35 million times
Response Time	< 5ms	< 5ms
Touch Hardness	6 Mohs	
Menu	Switch / Brightness + / Brightness - buttons	

2.Device Specification:

Power Input	DC 12V (Support optional DC 9-36V Wide Voltage Power Input)
	Power on and start automatically
	2*Pin Phoenix Terminal DC Plug
Working Temperature	-20°C~60°C, Support 24/7 Working
Size	482.6mm*398.6mm*61mm
Structure	Fully Enclosed Aluminum Alloy Material
Heat dissipation	Fanless Design, Conduction Heat Dissipation
Installation	Desktop / Embedded / Wall / Rack Mounted
Protection	Front panel IP65 water proof

3.Ordering Information

Model	Display Port	Touch Port	Touch Screen Type	Power Input
QY-F5190-Rack	HDMI+VGA	USB	Capacitive Touch Resistive Touch	DC 12V
		RS-232		
	DVI+VGA	USB		
		RS-232		

4.Package List:

Adapter	1*12V 5A adapter
Power Cable ^[1]	1*Power Cable

Notices:

[1]: Different countries and regions use different types of power cord plugs, please inform the business personnel in advance.

5.Dimensions:

